INTERIOR FINISHES

DUROCK[™] TAPE

1. IDENTIFICATION

2. HAZARD(S) **IDENTIFICATION** **Product identifier** DUROCK[™] Tape. Synonym(s) DUROCK[™] Exterior Tape, DUROCK[™] Interior/Type P Tape, DUROCK[™] Tile Backer Tape. **Recommended use** Interior and exterior use. **Recommended restrictions** Use in accordance with manufacturer's recommendations. Manufacturer / Importer / Supplier / Distributor information/Company name USG Middle East Ltd 7410 (WASIL) Street #23, Cross 76 (Right) Second Industrial City Dammam 34326 - 4201, Kingdom of Saudi Arabia Tel: +966 13 812 0995 / Fax: +966 13 812 1029 E-mail: info@usgme.com / marketing@usgme.com Website: https://www.usgme.com **Physical hazards** Not classified. **Health hazards** Not classified. **OSHA** defined hazards Not classified. Label elements Hazard symbol None. Signal word None Hazard statement None **Precautionary statement** Prevention Observe good industrial hygiene practices.

Response

Get medical attention/advice if you feel unwell. Storage Store as indicated in Section 7. **Disposal** Dispose of in accordance with local, state, and federal regulations.

Hazard(s) not otherwise classified (HNOC)

Not classified.

Supplemental information

None.

3. COMPOSITION/ **INFORMATION ON** INGREDIENTS

Mixtures		
Chemical name	CAS number	%
Continuous filament glass fiber	65997-17-3	40 - 70

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Product is composed of continuous fibers that do not qualify as respirable.



4. FIRST-AID MEASURES	 Inhalation Due to the physical nature of this product, inhalation is unliainhalation. Skin contact Direct, prolonged or repeated contact with the skin may calconsult physician if irritation develops or persists. Eye contact Direct contact can cause irritation of eyes. Immediately flustitching, pain or other symptoms persist or develop, consult Ingestion Due to the physical nature of this product, ingestion is unliaingestion. Most important symptoms/effects, acute and delayed Mechanical irritation of skin, eyes and respiratory system. Indication of immediate medical attention and special tree. Provide general supportive measures and treat symptomat General information Ensure that medical personnel are aware of the material(s) 	use irritation. F sh eye(s) with p physician. kely. There are n atment needec ically.	Rinse area wi Menty of wat	th plenty of water. er. If burning, redness,	
5. FIRE-FIGHTING	Suitable extinguishing media				
MEASURES	Use fire-extinguishing media appropriate for surrounding m Unsuitable extinguishing media Not applicable. Specific hazards arising from the chemical	naterials.			
	Not a fire hazard.				
	Special protective equipment and precautions for firefigh				
	Selection of respiratory protection for firefighting: follow th Self-contained breathing apparatus and full protective clot				
	Fire-fighting equipment/instructions	ing mase be n			
	Use standard firefighting procedures & consider the hazard	s of other invol	lved materia	ls.	
	Specific methods Cool material exposed to heat with water spray and remove it if no risk is involved.				
6. ACCIDENTAL RELEASE MEASURES	Personal precautions, protective equipment and emergen				
RELEASE FILASORES	See Section 8 of the SDS for Personal Protective Equipmen Methods and materials for containment and cleaning up	ιτ.			
	No specific clean-up procedure noted. For waste disposal,	see Section 13 o	of the SDS.		
7. HANDLING AND	Procentions for sets handling				
STORAGE	Precautions for safe handling Avoid contact with skin and eyes. Wear appropriate personal protective equipment.				
	Wash hands after handling. Observe good industrial hygiene practices.				
	Conditions for safe storage, including any incompatibilities Store away from incompatible materials. Protect product from physical damage.				
	Shelf life up to 12 months under protected storage conditio		inage.		
8. EXPOSURE CONTROLS/	Occupational exposure limits US. ACGIH Threshold Limit Values				
PERSONAL PROTECTION	Components	CAS number	Value	Form	
		TWA		Respirable fibers (length > 5	
	Continuous filament glass fiber (CAS 65997-17-3)	IWA	1 fibers/cm ³	µm & aspect ratio 3:1)	
			5 mg/m ³		
	US. NIOSH: Pocket Guide to Chemical Hazards				
	Components	CAS number	Value	Form	
	Continuous filament glass fiber (CAS 65997-17-3)	TWA	3 fibers/cm ³ 5 mg/m ³	Respirable fibers (3.5 µm in diameter & 10 µm in length) Fiber, total	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls personal protective equipment

Ventilation is not normally required.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear approved safety goggles.

Skin protection

Hand protection

It is a good industrial hygiene practice to minimize skin contact. For prolonged or repeated skin contact use suitable protective gloves.

Other

Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection

Not necessary under normal conditions.

Thermal hazards

None

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Observe any medical surveillance requirements.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Not applicable. Solid. Vapor density Form Not applicable. Fibrous tape. Relative density Color 2.5 (H^O=1) White. Solubility(ies) Odor Solubility(water) Low to no odor. Adhesive is soluble in water. Odor threshold Partition coefficient (n-octanol/water) Not applicable. Not applicable. pH Auto-ignition temperature Not applicable. Not applicable. Initial boiling point and boiling range Viscosity Not applicable. Not applicable. Flash point Other information Not applicable. Bulk density Evaporation rate 2480 kg/m³ Not applicable. VOC (Weight %) Flammability (solid, gas) 0 % Not applicable. 0 % Flammability limit - lower (%) Not applicable. Not applicable. Explosive limit - upper (%) Not applicable. Explosive limit - upper (%) <td< th=""><th>Appearance</th><th>Vapor pressure</th></td<>	Appearance	Vapor pressure
FormNot applicable.Fibrous tape.Relative densityColor2.5 (H²O=1)White.Solubility (ies)OdorSolubility (ies)Low to no odor.Adhesive is soluble in water.Odor thresholdPartition coefficient (n-octanol/water)Not applicable.Not applicable.PHAuto-ignition temperatureNot applicable.Not applicable.Initial boiling point and boiling rangeNiccosityNot applicable.Not applicable.Flash pointOther informationNot applicable.Bulk densityEvaporation rate2480 kg/m³Not applicable.VOC (Weight %)Flammability (solid, gas)0 %Not applicable.0 %Flammability limit - lower (%)0 %Not applicable.Explosive limitsFlambility limit - lower (%)Not applicable.Not applicable.Explosive limit - lower (%)Not applicable.Explosive limit - upper (%)	Physical state	Not applicable.
Fibrous tape.Relative densityColor2.5 (H²O=1)White.Solubility(ies)OdorSolubility (water)Low to no odor.Adhesive is soluble in water.Odor thresholdPartition coefficient (n-octanol/water)Not applicable.Not applicable.pHAuto-ignition temperatureNot applicable.Not applicable.Melting point/freezing pointDecomposition temperatureNot applicable.Not applicable.Initial boiling point and boiling rangeViscosityNot applicable.Not applicable.Flash pointOther informationNot applicable.Bulk densityEvaporation rate2480 kg/m³Not applicable.VOC (Weight %)Flammability (solid, gas)0 %Not applicable.0 %Flammability limit - lower (%)0 %Not applicable.Explosive limit - lower (%)Not applicable.Explosive limit - upper (%)	Solid.	Vapor density
Color2.5 (H²O=1)White.Solubility(ies)OdorSolubility (water)Low to no odor.Adhesive is soluble in water.Odor thresholdPartition coefficient (n-octanol/water)Not applicable.Not applicable.pHAuto-ignition temperatureNot applicable.Not applicable.Melting point/freezing pointDecomposition temperatureNot applicable.Not applicable.Initial boiling point and boiling rangeViscosityNot applicable.Not applicable.Initial boiling point and boiling rangeViscosityNot applicable.Not applicable.Flash pointOther informationNot applicable.Bulk densityEvaporation rate2480 kg/m³Not applicable.VOC (Weight %)Flammability (solid, gas)0 %Not applicable.0 %Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not applicable.Explosive limit - lower (%)Not applicable.Explosive limit - lower (%)Not applicable.Explosive limit - upper (%)	Form	Not applicable.
White.Solubility(ies)OdorSolubility (water)Low to no odor.Adhesive is soluble in water.Odor thresholdPartition coefficient (n-octanol/water)Not applicable.Not applicable.pHAuto-ignition temperatureNot applicable.Not applicable.Melting point/freezing pointDecomposition temperatureNot applicable.Not applicable.Initial boiling point and boiling rangeViscosityNot applicable.Not applicable.Flash pointOther informationNot applicable.Bulk densityEvaporation rate2480 kg/m³Not applicable.VOC (Weight %)Flammability (solid, gas)0 %Not applicable.0 %Flammability limit - lower (%)Not applicable.Not applicable.Explosive limit - lower (%)Not applicable.Explosive limit - upper (%)	Fibrous tape.	Relative density
OdorSolubility (water)Low to no odor.Adhesive is soluble in water.Odor thresholdPartition coefficient (n-octanol/water)Not applicable.Not applicable.pHAuto-ignition temperatureNot applicable.Not applicable.Melting point/freezing pointDecomposition temperatureNot applicable.Not applicable.Initial boiling point and boiling rangeViscosityNot applicable.Not applicable.Flash pointOther informationNot applicable.Bulk densityEvaporation rate2480 kg/m³Not applicable.VOC (Weight %)Flammability (solid, gas)0 %Not applicable.0 %Ipper/lower flammability or explosive limits0 %Flammability limit - lower (%)Not applicable.Not applicable.Explosive limit - lower (%)Not applicable.Explosive limit - lower (%)Not applicable.Explosive limit - upper (%)	Color	2.5 (H ² O=1)
Low to no odor.Adhesive is soluble in water.Odor thresholdPartition coefficient (n-octanol/water)Not applicable.Not applicable.pHAuto-ignition temperatureNot applicable.Not applicable.Melting point/freezing pointDecomposition temperatureNot applicable.Not applicable.Initial boiling point and boiling rangeViscosityNot applicable.Not applicable.Flash pointOther informationNot applicable.Bulk densityEvaporation rate2480 kg/m³Not applicable.VOC (Weight %)Flammability (solid, gas)0 %Not applicable.0 %Ipper/lower flammability or explosive limits0 %Flammability limit - lower (%)Not applicable.Not applicable.Explosive limit - lower (%)Not applicable.Flammability limit - lower (%)Not applicable.Explosive limit - upper (%)	White.	Solubility(ies)
Odor thresholdPartition coefficient (n-octanol/water)Not applicable.Not applicable.PHAuto-ignition temperatureNot applicable.Not applicable.Melting point/freezing pointDecomposition temperatureNot applicable.Not applicable.Initial boiling point and boiling rangeViscosityNot applicable.Not applicable.Flash pointOther informationNot applicable.Bulk densityEvaporation rate2480 kg/m³Not applicable.VOC (Weight %)Flammability (solid, gas)0 %Not applicable.Flammability limit - lower (%)Not applicable.Flammability limit - upper (%)Not applicable.Flammability limit - lower (%)Not applicable.Flammability limit - upper (%)Not applicable.<	Odor	Solubility (water)
Not applicable.Not applicable.pHAuto-ignition temperatureNot applicable.Not applicable.Melting point/freezing pointDecomposition temperatureNot applicable.Not applicable.Initial boiling point and boiling rangeViscosityNot applicable.Not applicable.Flash pointOther informationNot applicable.Bulk densityEvaporation rate2480 kg/m³Not applicable.VOC (Weight %)Flammability (solid, gas)0 %Not applicable.0 %Interpretable.Flammability limit - lower (%)Not applicable.Flammability limit - upper (%)Not applicable.Explosive limit - upper (%)	Low to no odor.	Adhesive is soluble in water.
pHAuto-ignition temperatureNot applicable.Not applicable.Melting point/freezing pointDecomposition temperatureNot applicable.Not applicable.Initial boiling point and boiling rangeViscosityNot applicable.Not applicable.Flash pointOther informationNot applicable.Bulk densityEvaporation rate2480 kg/m³Not applicable.VOC (Weight %)Flammability (solid, gas)0 %Not applicable.Voc (weight %)Flammability limit - lower (%)Not applicable.Flammability limit - lower (%)Not applicable.Kot applicable.Explosive limit - lower (%)Not applicable.Explosive limit - lower (%)Not applicable.Explosive limit - upper (%)	Odor threshold	Partition coefficient (n-octanol/water)
Not applicable.Not applicable.Melting point/freezing pointDecomposition temperatureNot applicable.Not applicable.Initial boiling point and boiling rangeViscosityNot applicable.Not applicable.Flash pointOther informationNot applicable.Bulk densityEvaporation rate2480 kg/m³Not applicable.VOC (Weight %)Flammability (solid, gas)0 %Not applicable.0 %Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not applicable.Explosive limit - upper (%)	Not applicable.	Not applicable.
Melting point/freezing pointDecomposition temperatureNot applicable.Not applicable.Initial boiling point and boiling rangeViscosityNot applicable.Not applicable.Flash pointOther informationNot applicable.Bulk densityEvaporation rate2480 kg/m³Not applicable.VOC (Weight %)Flammability (solid, gas)0 %Not applicable.0 %Upper/lower flammability or explosive limits0 %Flammability limit - lower (%)Not applicable.Not applicable.Explosive limit - lower (%)Not applicable.Explosive limit - lower (%)Not applicable.Explosive limit - upper (%)	рН	Auto-ignition temperature
Not applicable.Not applicable.Initial boiling point and boiling rangeViscosityNot applicable.Not applicable.Flash pointOther informationNot applicable.Bulk densityEvaporation rate2480 kg/m³Not applicable.VOC (Weight %)Flammability (solid, gas)0 %Not applicable.0 %Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not applicable.Flammability limit - upper (%)Not applicable.Kexplosive limit - lower (%)Not applicable.Kexplosive limit - upper (%)	Not applicable.	Not applicable.
Initial boiling point and boiling rangeViscosityNot applicable.Not applicable.Flash pointOther informationNot applicable.Bulk densityEvaporation rate2480 kg/m³Not applicable.VOC (Weight %)Flammability (solid, gas)0 %Not applicable.0 %Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not applicable.Flammability limit - upper (%)Not applicable.Flammability limit - upper (%)Not applicable.Flammability limit - lower (%)Not applicable.Flammability limit - upper (%)	Melting point/freezing point	Decomposition temperature
Not applicable.Not applicable.Flash pointOther informationNot applicable.Bulk densityEvaporation rate2480 kg/m³Not applicable.VOC (Weight %)Flammability (solid, gas)0 %Not applicable.0 %Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not applicable.Flammability limit - upper (%)Not applicable.Explosive limit - lower (%)Not applicable.Explosive limit - upper (%)	Not applicable.	Not applicable.
Flash pointOther informationNot applicable.Bulk densityEvaporation rate2480 kg/m³Not applicable.VOC (Weight %)Flammability (solid, gas)0 %Not applicable.0 %Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not applicable.Flammability limit - upper (%)Not applicable.Explosive limit - lower (%)Not applicable.Explosive limit - upper (%)	Initial boiling point and boiling range	Viscosity
Not applicable.Bulk densityEvaporation rate2480 kg/m³Not applicable.VOC (Weight %)Flammability (solid, gas)0 %Not applicable.0 %Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not applicable.Flammability limit - upper (%)Not applicable.Explosive limit - lower (%)Not applicable.Explosive limit - lower (%)Not applicable.Explosive limit - upper (%)	Not applicable.	Not applicable.
Evaporation rate2480 kg/m³Not applicable.VOC (Weight %)Flammability (solid, gas)0 %Not applicable.0 %Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not applicable.Flammability limit - upper (%)Not applicable.Flammability limit - lower (%)Not applicable.Flammability limit - lower (%)Not applicable.Flammability limit - upper (%)Not applicable.Explosive limit - upper (%)	Flash point	Other information
Not applicable.VOC (Weight %)Flammability (solid, gas)0 %Not applicable.0 %Upper/lower flammability or explosive limits	Not applicable.	Bulk density
Flammability (solid, gas) 0 % Not applicable. Upper/lower flammability or explosive limits Flammability limit - lower (%) Not applicable. Flammability limit - upper (%) Not applicable. Explosive limit - lower (%) Not applicable. Explosive limit - lower (%) Not applicable. Explosive limit - lower (%) Not applicable.	Evaporation rate	2480 kg/m ³
Not applicable. Upper/lower flammability or explosive limits Flammability limit - lower (%) Not applicable. Flammability limit - upper (%) Not applicable. Explosive limit - lower (%) Not applicable. Explosive limit - upper (%)	Not applicable.	VOC (Weight %)
Upper/lower flammability or explosive limits Flammability limit - lower (%) Not applicable. Flammability limit - upper (%) Not applicable. Explosive limit - lower (%) Not applicable. Explosive limit - upper (%)	Flammability (solid, gas)	0 %
Flammability limit - lower (%) Not applicable. Flammability limit - upper (%) Not applicable. Explosive limit - lower (%) Not applicable. Explosive limit - upper (%)	Not applicable.	
Not applicable. Flammability limit - upper (%) Not applicable. Explosive limit - lower (%) Not applicable. Explosive limit - upper (%)	Upper/lower flammability or explosive limits	
Flamability limit - upper (%) Not applicable. Explosive limit - lower (%) Not applicable. Explosive limit - upper (%)	Flammability limit - lower (%)	
Not applicable. Explosive limit - lower (%) Not applicable. Explosive limit - upper (%)	Not applicable.	
Explosive limit - lower (%) Not applicable. Explosive limit - upper (%)	Flammability limit - upper (%)	
Not applicable. Explosive limit - upper (%)		
Explosive limit - upper (%)		
Not applicable.		
	Not applicable.	

10. STABILITY AND	Reactivity
REACTIVITY	Not available.
	Chemical stability
	Material is stable under normal conditions.
	Possibility of hazardous reactions
	Hazardous polymerization does not occur.
	Conditions to avoid
	Contact with incompatible materials.
	Incompatible materials
	Strong oxidizing agents.
	Hazardous decomposition products
	Carbon dioxide.
11. TOXICOLOGICAL	Information on likely routes of exposure
INFORMATION	Ingestion
	Under normal conditions of intended use, this material does not pose a risk to health.
	Inhalation
	Not likely, due to the form of the product.
	Skin contact
	Direct, prolonged or repeated contact with the skin may cause irritation.
	Eyes contact
	Direct contact may cause mechanical irritation of the eyes.
	Symptoms related to the physical, chemical and toxicological characteristics
	May cause mechanical irritation of skin and eyes.
	Information on toxicological effects
	Acute toxicity
	None known.
	Skin corrosion/irritation
	Prolonged or repeated skin contact may cause drying, cracking, or irritation.
	Serious eye damage/eye irritation
	Direct contact with eyes may cause temporary irritation.
	Respiratory or skin sensitization
	Respiratory sensitization
	No data available.
	Skin sensitization
	Not a skin sensitizer.
	Germ cell mutagenicity
	Not expected to be mutagenic.
	Carcinogenicity
	Not expected to cause cancer.
	IARC Monographs. Overall Evaluation of Carcinogenicity
	Continuous filament glass fiber (CAS 65997-17-3) 3 Not classifiable as to carcinogenicity to humans.
	Reproductive toxicity
	Not expected to be a reproductive hazard.
	Specific target organ toxicity-single exposure
	No data available, but none expected.
	Specific target organ toxicity -repeated exposure
	No data available, but none expected.
	Aspiration hazard
	Due to the physical form of the product, it is not an aspiration hazard.
	Further information
	No other specific acute or chronic health impact noted.

12. ECOLOGICAL INFORMATION	 Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Persistence and degradability No data available Bioaccumulative potential Bioaccumulation is not expected. Mobility in soil The product is not mobile in soil. Other adverse effects None expected.
13. DISPOSAL CONSIDERATIONS	 Disposal instruction Dispose in accordance with applicable federal, state, and local regulations. Recycle responsibly. Local disposal regulations Dispose of in accordance with local regulations. Hazardous waste code Not regulated. Waste from residues / unused products Dispose of in accordance with local regulations. Contaminated packaging Dispose of in accordance with local regulations.
14. TRANSPORT INFORMATION	DOT Not regulated as dangerous goods. IATA Not regulated as a dangerous good. IMDG Not regulated as a dangerous good. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable. This product is a solid. Therefore, bulk transport is governed by IMSBC code.
15. REGULATORY INFORMATION	Saudi Arabian Inventory of Chemical Substance:CAS #65997-17-3Continuous filament glass fiber
16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION	 Issue date 1-July-2018 Revision date 1-December-202 Version # 02 Further information The International Agency for Research on Cancer (IARC) in June, 1987, categorized continuous filament glass fibers as not classifiable with respect to human carcinogenicity (Group 3). The evidence from human as well as animal studies was evaluated by IARC as insufficient to classify continuous filament glass fiber as a possible, probable, or confirmed cancer causing material. The ACGIH has established a TLV (Threshold Limit Value or recommended exposure limit) for continuous filament glass fiber of 1 fiber per cubic centimeter of air for respirable fibers and 5 mg per cubic meter of air for inhalable glass fiber dust. These levels were established to prevent mechanical irritation of the upper airways. IARC, NTP (US National Toxicology Program) and OSHA (US Occupational Safety and Health Administration) do not list continuous filament glass fibers as a carcinogen. As manufactured, continuous filament glass fibers in this product are not respirable. Continuous filament glass products that are chopped, crushed or severely mechanically processed during manufacturing or use may contain a very small amount of respirable particulate, some of which may be glass shards.

NFPA Ratings: Health: 0 Flammability: 0 Physical hazard: 0 Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe





List of abbreviations References NFPA: National Fire Protection Association. HSDB[®] - Hazardous Substances Data Bank

Disclaimer

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

Notice:

As we are involved in constant products development; this document information is subject to change without prior notice. Please always refer to **usgme.com** for the updated products information document.

©2022 Factory of USG Middle East LTD. Co. All rights reserved.

